Appendix C Summary of Automated Emissions Sampler Data by Test

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 12/04/98 05:47:00 PM
Test Period End Date/Time: 12/10/98 02:32:00 PM

Stove Model Tested: KF01: Quadrafire 2100 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Average Temperatures
Period 141.00 Hours Flue-Gas Temperature (at 1 foot above flue

Total Test Period 141.00 Hours
Stove Operating Time (ie, FlueGas Temperature Over 100 Degrees F)
Stove Operating Time Puring

Stove Operating Time During
Test Period (ie, Flue-Gas
Temperature Over 100
Degrees F)

66.3%

Time

Fuel

ESS Settings Particulate Emissions

 ESS Sampling Rate
 0.985
 L/Minute
 Emission Factor
 8.7
 G/Kg

 Sample Cycle Duration
 15.00
 Minutes
 Emission Rate
 10.8
 G/Hour Sample Time Per Sample Cycle
 120
 Seconds
 Concentration
 466
 Mg/M3

 Total Fuel Used
 145.0
 KG With Moisture
 Rinse
 47.5%

 Average Fuel Moisture
 24.5%
 Percent Dry Basis
 XAD-2
 12.1%

 Total Fuel Burned
 116.5
 KG Dry
 Filter
 40.5%

 Average Burn Rate During Stove Operation
 1.2
 KG/Hour (dry)
 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.54 Percent

Test Note Number 1: Stoichiometric Volume Is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Breakdown of Particulate Sample


493 Degrees F 256 Degrees C

Degrees F 17 Degrees C

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

Test Facility Ambient Temperature

File: Kf01-b3.123 Printed: 07/26/99 at 02:50:23 PM



File: Kf01-b3.123 Printed: 07/26/99 at 02:50:15 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 12/04/98 05:47:00 PM Test Period End Date/Time: 12/10/98 02:32:00 PM

Stove Model Tested: KF01: Quadrafire 2100 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time

Total Test Period

141.00 Hours

66.3%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 93.5 Hours

Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue collar) Degrees F 256 Degrees C

Test Facility Ambient Temperature Degrees F 17 Degrees C

ESS Settings

ESS Sampling Rate 0.985 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds **Particulate Emissions**

Emission Factor 8.7 G/Kg **Emission Rate** 10.8 G/Hour Mg/M3 Concentration

Fuel

Total Fuel Used 145.0 KG With Moisture Average Fuel Moisture 24.5% Percent Dry Basis Total Fuel Burned 116.5 KG Dry Average Burn Rate During 1.2 KG/Hour (dry) Stove Operation

Breakdown of Particulate Sample

XAD-2 12.1% Filter 40.5% Total 100%

Test Notes:


Average Flue-Gas Concentrations

Oxygen (AWES) 15.54 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon

Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

File: Kf01-b3.123 Printed: 07/26/99 at 02:52:36 PM



File: Kf01-b3.123 Printed: 07/26/99 at 02:52:42 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 12/10/98 04:02:00 PM Test Period End Date/Time: 12/16/98 02:32:00 PM

Stove Model Tested: KF01: Quadrafire 2100 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures**

Flue-Gas Temperature (at 1 foot above flue Total Test Period 142.75 Hours Degrees F 250 Degrees C

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) Degrees F 22 Degrees C 43.25 Hours **Test Facility Ambient Temperature**

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 30.3%

Degrees F)

ESS Settings

L/Minute **ESS Sampling Rate** 0.985 **Emission Factor** G/Kg 4.8 **Emission Rate** G/Hour Sample Cycle Duration 15.00 Minutes Sample Time Per Sample Seconds Concentration 221 Ma/M3

Breakdown of Particulate Sample Fuel

Rinse 52.1% Total Fuel Used 77.3 KG With Moisture XAD-2 8.1% Average Fuel Moisture 31.4% Percent Dry Basis 39.8% Filter Total Fuel Burned 58.8 KG Dry Average Burn Rate During Total 100% KG/Hour (dry) Stove Operation


Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.29 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

Particulate Emissions



File: Kf01-c3.123 Printed: 07/26/99 at 02:52:58 PM

Project Name: ERG/EPA

Klamath Falls, Oregon USA Residence Location:

Test Run Number: Week A

Test Period Start Date/Time: 11/08/98 12:01:54 PM Test Period End Date/Time: 11/15/98 11:47:00 AM

Stove Model Tested: KF02: Pacific Energy Standard 27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures**

168.00 Hours **Total Test Period**

100%

196.4 KG With Moisture

20.8% Percent Dry Basis

KG Dry

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 168 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Flue-Gas Temperature (at 1 foot above flue

Degrees F 231 Degrees C

Degrees F 19 Degrees C Test Facility Ambient Temperature

ESS Settings

ESS Sampling Rate 1.124 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Emission Factor G/Kg **Emission Rate** 5.5 G/Hour Concentration 362 Mg/M3

Fuel

Total Fuel Used

Total Fuel Burned

Average Fuel Moisture

Breakdown of Particulate Sample

56.2% Rinse XAD-2 18.8% Filter 24.9% Total 100%


Average Burn Rate During KG/Hour (dry) Stove Operation

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 14.53 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88,5% of Fuel Carbon Generating Cabon Dioxide



File: Kf02-a3.123 Printed: 07/26/99 at 02:53:22 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 12/02/98 09:47:00 AM Test Period End Date/Time: 12/09/98 09:32:00 AM

Stove Model Tested: KF02: Pacific Energy Standard 27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time

168.00 Hours

1.124 L/Minute

Minutes

Seconds

Stove Operating Time (ie, Flue-Gas Temperature Over 100 163.75 Hours

Degrees F)

Total Test Period

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

97.5%

15.00

120

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue

collar)

Test Facility Ambient Temperature

Degrees F 211 Degrees C Degrees F 14 Degrees C

ESS Settings

ESS Sampling Rate Sample Cycle Duration Sample Time Per Sample Cycle

Particulate Emissions

Emission Factor G/Kg 5.1 G/Hour **Emission Rate** 5.3

Concentration

Mg/M3 326

Fuel

Total Fuel Used 207.6 KG With Moisture Average Fuel Moisture 21.5% Percent Dry Basis Total Fuel Burned 170.9 KG Dry

Average Burn Rate During Stove Operation

1.0 KG/Hour (dry) **Breakdown of Particulate Sample**


Rinse 40.4% XAD-2 26.4% 33.3% Filter

> Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 14.52 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf02-b3.123 Printed: 07/26/99 at 02:53:54 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 12/09/98 11:02:01 AM Test Period End Date/Time: 12/16/98 10:45:00 AM

Stove Model Tested: KF02: Pacific Energy Standard 27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time	Average Temperatures
111110	Avelage remperatures

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar)

Stove Operating Time (ie, Flue-Gas Temperature Over 100 133.75 Hours

Test Facility Ambient Temperature

Test Facility Ambient Temperature

Test Facility Ambient Temperature

Degrees F)
Stove Operating Time During
Test Period (ie, Flue-Gas

Temperature Over 100 Degrees F) 79.6%

ESS Settings

ESS Sampling Rate1.124L/MinuteEmission Factor5.5G/KgSample Cycle Duration15.00MinutesEmission Rate4.9G/HourSample Time Per Sample Cycle120SecondsConcentration317Mg/M3

Fuel

Total Fuel Used 142.5 KG With Moisture
Average Fuel Moisture 19.6% Percent Dry Basis
Total Fuel Burned 119.1 KG Dry
Average Burn Rate During Stove Operation 0.9 KG/Hour (dry)

Breakdown of Particulate Sample

Particulate Emissions


Total	100%
Filter	23.0%
XAD-2	11.3%
Rinse	65.7%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.15 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf02-c3.123 Printed: 07/26/99 at 02:54:15 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 11/22/98 12:01:56 PM Test Period End Date/Time: 11/29/98 11:46:56 AM

Stove Model Tested: KF03: Haughs 171E Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Average Temperatures Time Flue-Gas Temperature (at 1 foot above flue

Total Test Period 168.00 Hours

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 142.75 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

85.0%

ESS Settings Particulate Emissions

ESS Sampling Rate 1.038 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Breakdown of Particulate Sample Fuel

Total Fuel Used 133.8 KG With Moisture Average Fuel Moisture 14.5% Percent Dry Basis Total Fuel Burned 116.8 KG Dry Average Burn Rate During Stove Operation 0.8 KG/Hour (dry)

Rinse 41.4% XAD-2 20.9% Filter 37.7% Total 100%

Test Facility Ambient Temperature

Emission Factor

Emission Rate

Concentration

Degrees F 221 Degrees C

Degrees F 24 Degrees C

3.7

3.0

123

G/Kg


G/Hour

Ma/M3

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 17.58 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf03-b3.123 Printed: 07/26/99 at 02:59:12 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 12/06/98 12:17:02 PM
Test Period End Date/Time: 12/13/98 12:02:02 PM

Stove Model Tested: KF03: Haughs 171E Non-Catalytic

Stove Type: New Tech/Non-Catalytic

e Temperatures
jε

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar) Pegrees F 246 Degrees C Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) Flue-Gas Temperature (at 1 foot above flue collar) Pegrees F 246 Degrees C Degrees F

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

ESS Settings

ESS Sampling Rate 1.038 L/Minute
Sample Cycle Duration 15.00 Minutes
Sample Time Per Sample 120 Seconds

95.2%

Fuel

Total Fuel Used 185.8 KG With Moisture
Average Fuel Moisture 18.8% Percent Dry Basis
Total Fuel Burned 139.6 KG Dry
Average Burn Rate During
Stove Operation 0.9 KG/Hour (dry)

Particulate Emissions

 Emission Factor
 1.9
 G/Kg

 Emission Rate
 1.7
 G/Hour

 Concentration
 85
 Mg/M3

Breakdown of Particulate Sample

 Rinse
 78.2%

 XAD-2
 15.2%

 Filter
 6.5%


 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.52 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf03-c3.123 Printed: 07/26/99 at 02:59:33 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 11/14/98 12:32:01 PM Test Period End Date/Time: 11/21/98 12:17:01 PM Stove Model Tested: KF04: Earthstove 1003-C

Stove Type: Catalytic

Time

168.00 Hours

168 Hours

100.0%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Total Test Period

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

G/Kg

G/Hour

Mg/M3

Degrees F 203 Degrees C

Degrees F 24 Degrees C

ESS Settings

ESS Sampling Rate Sample Cycle Duration

Sample Time Per Sample Cycle

1.042 L/Minute 15.00 Minutes

120 Seconds **Particulate Emissions**

Emission Factor 17.5 **Emission Rate** 15.8 Concentration 926

Fuel

Total Fuel Used 184.4 KG With Moisture Average Fuel Moisture

Total Fuel Burned Average Burn Rate During Stove Operation 21.6% Percent Dry Basis 151.6 KG Dry

KG/Hour (dry)

Breakdown of Particulate Sample

Rinse 35.6% XAD-2 34.6% Filter 29.8%


Total

100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.42 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: Kf04-a3.123 Printed: 07/26/99 at 02:59:51 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 12/02/98 12:47:00 PM
Test Period End Date/Time: 12/09/98 11:32:00 AM
Stove Model Tested: KF04: Earthstove 1003-C

Stove Type: Catalytic

Time

Total Test Period 167.00 Hours
Stove Operating Time (ie, FlueGas Temperature Over 100 167 Hours
Degrees F) 167 Hours
167 Hours
167 Hours
168 Hours
167 Hours
168 Hou

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue collar)

510 Degrees F 266 Degrees C

Test Facility Ambient Temperature 71 Degrees F 22 Degrees C

ESS Settings

ESS Sampling Rate 1.042 L/Minute
Sample Cycle Duration 15.00 Minutes
Sample Time Per Sample Cycle 120 Seconds

Particulate Emissions

 Emission Factor
 14.2
 G/Kg

 Emission Rate
 15.1
 G/Hour

 Concentration
 1139
 Mg/M3

Fuel

Total Fuel Used 212.2 KG With Moisture
Average Fuel Moisture 19.5% Percent Dry Basis
Total Fuel Burned 177.6 KG Dry
Average Burn Rate During
Stove Operation 1.1 KG/Hour (dry)

Breakdown of Particulate Sample

 Rinse
 27.7%

 XAD-2
 28.9%

 Filter
 43.4%


 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 12.59 Percent

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: Kf04-b3.123 Printed: 07/26/99 at 03:00:11 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 11/08/98 12:01:54 PM Test Period End Date/Time: 11/15/98 11:46:54 AM

Stove Model Tested: KF05: Pacific Energy Super Series-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time Average Temperatures

Total Test Period 168.00 Hours

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 150.75 Hours

89.7%

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

Degrees F 24 Degrees C

Degrees F 230 Degrees C

ESS Settings

1.069 L/Minute **ESS Sampling Rate** 15.00 Sample Cycle Duration Minutes Sample Time Per Sample 120 Seconds

Fuel

Total Fuel Used 137.7 KG With Moisture Average Fuel Moisture 10.4% Percent Dry Basis Total Fuel Burned 124.7 KG Dry Average Burn Rate During Stove Operation KG/Hour (dry) 8.0

Particulate Emissions

Emission Factor 5.2 G/Kg **Emission Rate** G/Hour Concentration 240 Mg/M3


Breakdown of Particulate Sample

Rinse 47.7% XAD-2 29.9% 22.3% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.28 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf05-a3.123 Printed: 07/26/99 at 03:08:31 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Week B Test Run Number:

Test Period Start Date/Time: 11/22/98 12:01:55 PM Test Period End Date/Time: 11/25/98 06:16:55 PM

Stove Model Tested: KF05: Pacific Energy Super Series-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time

Total Test Period 78.50 Hours

75.5 Hours

96.2%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings

ESS Sampling Rate 1.069 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample Cycle 120 Seconds

Fuel

Total Fuel Used KG With Moisture Average Fuel Moisture Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During KG/Hour (dry) Stove Operation

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue Degrees F 207 Degrees C

Test Facility Ambient Temperature Degrees F 23 Degrees C

Particulate Emissions

Emission Factor 7.2 G/Kg **Emission Rate** 6.1 G/Hour Concentration 300 Mg/M3

Breakdown of Particulate Sample


Rinse XAD-2 12.7% Filter 21.3% Total 100%

Test Notes:

Average Flue-Gas Concentrations

16.73 Percent Oxygen (AWES)

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf05-b3.123 Printed: 07/26/99 at 03:08:52 PM

Project Name: ERG/EPA

Klamath Falls, Oregon USA Residence Location:

Test Run Number: Week C

Test Period Start Date/Time: 12/08/98 12:17:01 PM Test Period End Date/Time: 12/15/98 12:02:01 PM

Stove Model Tested: KF05: Pacific Energy Super Series-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures**

168.00 Hours Total Test Period

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings

ESS Sampling Rate Sample Cycle Duration 15.00 Sample Time Per Sample Cycle

1.069 L/Minute

91.1%

Minutes 120 Seconds

Hours

Fuel

Total Fuel Used 172.2 KG With Moisture Average Fuel Moisture 11.3% Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During Stove Operation 1.0 KG/Hour (dry)

Average Flue-Gas Concentrations

Oxygen (AWES) 15.71 Percent

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

Degrees F 17 Degrees C

Degrees F 243 Degrees C

Particulate Emissions

Emission Factor G/Kg **Emission Rate** 2.8 G/Hour Concentration 147 Mg/M3


Breakdown of Particulate Sample

38.5% Rinse 25.8% XAD-2 35.7% Filter Total 100%

Test Notes:

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon

Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf05-c3.123 Printed: 07/26/99 at 03:09:10 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 11/10/98 12:17:00 PM Test Period End Date/Time: 11/17/98 12:02:00 PM Stove Model Tested: KF06: Waterford 104.MKII

Stove Type: New Tech/Non-Catalytic

Time

168.00 Hours Total Test Period Stove Operating Time (ie, Flue-

Gas Temperature Over 100 Degrees F) Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

100.0%

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue Degrees F 222 Degrees C

Test Facility Ambient Temperature

Degrees F 25 Degrees C

ESS Settings

ESS Sampling Rate 1.145 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Emission Factor 6.0 G/Kg G/Hour **Emission Rate** 4.0 Concentration 295 Mg/M3

Fuel

Total Fuel Used KG With Moisture 126.0 Average Fuel Moisture 11.7% Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During KG/Hour (dry) Stove Operation


Breakdown of Particulate Sample

Rinse 47.1% XAD-2 18.3% Filter 34.7% Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.00 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf06-a3.123 Printed: 07/26/99 at 03:09:27 PM

Project Name: ERG/EPA

Klamath Falls, Oregon USA Residence Location:

Test Run Number: Week A

Test Period Start Date/Time: 11/08/98 12:01:54 PM Test Period End Date/Time: 11/16/98 02:32:01 PM

Stove Model Tested: KF07: Earthstove 1400HT Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures** Flue-Gas Temperature (at 1 foot above flue

Total Test Period 168.25 Hours

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

167.75 Hours

99.7%

ESS Settings

ESS Sampling Rate 1.109 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Cycle

Particulate Emissions

Test Facility Ambient Temperature

Emission Factor G/Kg 9.9 **Emission Rate** G/Hour Concentration 418 Mg/M3

Degrees F 218 Degrees C

Degrees F 24 Degrees C

Fuel

Total Fuel Used 158.5 KG With Moisture Average Fuel Moisture Total Fuel Burned KG Dry

Stove Operation

Percent Dry Basis

Average Burn Rate During KG/Hour (dry) **Breakdown of Particulate Sample**


Rinse 42.7% XAD-2 19.8% 37.5% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.72 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf07-a3.123 Printed: 07/26/99 at 03:09:53 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 11/22/98 12:01:54 PM Test Period End Date/Time: 11/29/98 11:46:54 AM

Stove Model Tested: KF07: Earthstove 1400HT Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue 168.00 Hours Degrees F 236 Degrees C Total Test Period

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

160.25 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 95.4%

Degrees F)

ESS Settings Particulate Emissions

ESS Sampling Rate 1.109 L/Minute **Emission Factor** 7.9 G/Kg Sample Cycle Duration 15.00 Minutes **Emission Rate** 5.9 G/Hour Sample Time Per Sample 120 Seconds 324 Mg/M3 Concentration

Fuel

Total Fuel Used 133.7 KG With Moisture Average Fuel Moisture 11.7% Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During KG/Hour (dry) Stove Operation

Breakdown of Particulate Sample

Degrees F 21 Degrees C


	Total	100%
Filter		33.5%
XAD-2		22.5%
Rinse		44.0%

Test Facility Ambient Temperature

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.83 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf07-b3.123 Printed: 07/26/99 at 03:15:51 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 12/06/98 12:01:54 PM Test Period End Date/Time: 12/13/98 11:47:28 AM

Stove Model Tested: KF07: Earthstove 1400HT Non-Catalytic

Stove Type: New Tech/Non-Catalytic

me	Average Temperatu	ıres
1116	Average reini	Jeratu

Flue-Gas Temperature (at 1 foot above flue **Total Test Period** 168.00 Hours collar) Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 165.75 Hours Test Facility Ambient Temperature Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

ESS Settings

ESS Sampling Rate 1.109 L/Minute 15.00 Minutes Sample Cycle Duration Sample Time Per Sample Cycle 120 Seconds

98.7%

Particulate Emissions

Emission Factor 8.2 G/Kg G/Hour **Emission Rate** 9.7 Concentration 434 Mg/M3

Degrees F 251 Degrees C

Degrees F 23 Degrees C

Fuel

Degrees F)

Total Fuel Used 225.4 KG With Moisture Average Fuel Moisture 15.8% Percent Dry Basis Total Fuel Burned 194.7 KG Drv Average Burn Rate During 1.2 KG/Hour (dry) Stove Operation

Breakdown of Particulate Sample


Rinse 49.0% XAD-2 14.6% Filter 36.4% Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.64 Percent

Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Test Note Number 1: Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf07-c3.123 Printed: 07/26/99 at 03:16:09 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 11/08/98 12:01:54 PM Test Period End Date/Time: 11/15/98 11:46:54 AM

Stove Model Tested: KF08: Country T-Top Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures**

168.00 Hours Total Test Period

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

100.0%

168

Hours

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

Degrees F 195 Degrees C

Degrees F 26 Degrees C

ESS Settings

ESS Sampling Rate 1.058 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Emission Factor 8.9 G/Kg **Emission Rate** 9.9 G/Hour Mg/M3 Concentration 395

Fuel

Breakdown of Particulate Sample


Total Fuel Used 238.4 KG With Moisture Average Fuel Moisture 26.8% Percent Dry Basis Total Fuel Burned 188.0 KG Dry Average Burn Rate During Stove Operation KG/Hour (dry) 1.1

Rinse 55.8% XAD-2 17.0% 27.3% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.47 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf08-a3.123 Printed: 07/26/99 at 03:16:28 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 11/22/98 12:01:53 PM Test Period End Date/Time: 11/30/98 06:06:43 PM

Stove Model Tested: KF08: Country T-Top Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Гime	Average Temperatures
------	----------------------

172.75 Hours **Total Test Period**

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 169.75 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

98.3%

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

Degrees F 220 Degrees C

Degrees F 24 Degrees C

ESS Settings

1.058 L/Minute **ESS Sampling Rate** 15.00 Sample Cycle Duration Minutes Sample Time Per Sample 120 Seconds **Particulate Emissions**

Emission Factor 12.3 G/Kg G/Hour **Emission Rate** 13.6 Concentration 421 Mg/M3

Fuel

Total Fuel Used 237.1 KG With Moisture Average Fuel Moisture 25.4% Percent Dry Basis Total Fuel Burned 189.0 KG Dry Average Burn Rate During Stove Operation KG/Hour (dry)


Breakdown of Particulate Sample

Rinse 39.1% XAD-2 4.3% 56.6% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 17.48 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf08-b3.123 Printed: 07/26/99 at 03:16:45 PM

Project Name: ERG/EPA

Residence Location: Klamath Falls, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 12/05/98 07:24:15 PM
Test Period End Date/Time: 12/13/98 11:55:09 AM

Stove Model Tested: KF08: Country T-Top Non-Catalytic

Stove Type: New Tech/Non-Catalytic

	•			
	1	м	n	0
	1	ш		

Total Test Period 171.00 Hours

170.5 Hours

99.7%

Stove Operating Time (ie, Flue-Gas Temperature Over 100

Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

ESS Settings

ESS Sampling Rate 1.058 L/Minute
Sample Cycle Duration 15.00 Minutes
Sample Time Per Sample Cycle 120 Seconds

Fuel

Total Fuel Used 25.7. KG With Moisture
Average Fuel Moisture 25.7% Percent Dry Basis
Total Fuel Burned 205.0 KG Dry
Average Burn Rate During
Stove Operation 1.2 KG/Hour (dry)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue collar)

446 Degrees F 230 Degrees C

Test Facility Ambient Temperature 74 Degrees F 24 Degrees C

Particulate Emissions

 Emission Factor
 5.2
 G/Kg

 Emission Rate
 6.3
 G/Hour

 Concentration
 254
 Mg/M3

Breakdown of Particulate Sample


Total	100%
Filter	24.3%
XAD-2	17.9%
Rinse	57.8%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.08 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: Kf08-c3.123 Printed: 07/26/99 at 03:17:02 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/11/99 08:42:00 AM Test Period End Date/Time: 01/19/99 12:17:58 PM Stove Model Tested: P01: HES Trailblazer 2000-C

Stove Type: Catalytic

ı	ı	n	n	Δ

Total Test Period 171.25 Hours

171.25 Hours

100.0%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

ESS Settings

ESS Sampling Rate 1.058 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample Cycle 120 Seconds

Fuel

Total Fuel Used 260.2 KG With Moisture Average Fuel Moisture 24.0% Percent Dry Basis Total Fuel Burned 209.8 KG Dry Average Burn Rate During KG/Hour (dry) Stove Operation

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue Degrees F 212 Degrees C

Test Facility Ambient Temperature Degrees F 27 Degrees C

Particulate Emissions

Emission Factor 15.0 G/Kg **Emission Rate** 18.4 G/Hour Concentration 908 Mg/M3


Breakdown of Particulate Sample

	Total	100%
Filter		47.5%
XAD-2		19.9%
Rinse		32.6%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 14.66 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P01-A3.123 Printed: 07/26/99 at 03:32:34 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/19/99 01:32:01 PM Test Period End Date/Time: 01/26/99 01:32:57 PM

Stove Model Tested: P01: HES Trailblazer 2000-C

Stove Type: Catalytic

Time **Average Temperatures**

Flue-Gas Temperature (at 1 foot above flue 168.25 Hours Degrees F 229 Degrees C **Total Test Period**

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 168.25 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

100.0%

Particulate Emissions ESS Settings

ESS Sampling Rate 1.058 L/Minute **Emission Factor** 12.9 G/Kg Sample Cycle Duration 15.00 Minutes **Emission Rate** 16.0 G/Hour Sample Time Per Sample 120 Seconds 803 Mg/M3 Concentration

Breakdown of Particulate Sample Fuel

Rinse 32.9% Total Fuel Used 252.9 KG With Moisture XAD-2 22.8% Average Fuel Moisture 21.0% Percent Dry Basis Filter 44.3% Total Fuel Burned 209.0 KG Dry Average Burn Rate During Stove Operation Total 100% 1.2 KG/Hour (dry)

Test Notes:


Average Flue-Gas Concentrations

Oxygen (AWES) 14.44 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide

Degrees F 22 Degrees C

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

Test Facility Ambient Temperature



File: P01-B3.123 Printed: 07/26/99 at 03:49:46 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 01/26/99 02:47:01 PM
Test Period End Date/Time: 02/02/99 02:32:57 PM

Stove Model Tested: P01: HES Trailblazer 2000-C

Stove Type: Catalytic

Time Average Temperatures

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar)

Stove Operating Time (ie, Flue-Gas Temperature (at 1 foot above flue collar)

Stove Operating Time (ie, Flue-Gas Temperature (at 1 foot above flue collar)

Test Facility Ambient Temperature

Test Facility Ambient Temperature

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings

ESS Sampling Rate 1.058 L/Minute

Sample Cycle Duration 15.00 Minutes

Sample Time Per Sample 20 Seconds

Fuel

Total Fuel Used 258.9 KG With Moisture
Average Fuel Moisture 22.8% Percent Dry Basis
Total Fuel Burned 210.9 KG Dry
Average Burn Rate During Stove Operation 1.3 KG/Hour (dry)

Particulate Emissions

 Emission Factor
 13.5
 G/Kg

 Emission Rate
 16.9
 G/Hour

 Concentration
 913
 Mg/M3

Degrees F 236 Degrees C

Degrees F 22 Degrees C

Breakdown of Particulate Sample

 Rinse
 52.5%

 XAD-2
 17.8%

 Filter
 29.7%


 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 13.90 Percent

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P01-c3.123 Printed: 07/26/99 at 03:50:21 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/13/99 02:02:45 PM
Test Period End Date/Time: 01/20/99 01:47:50 PM
Stove Model Tested: P02: Lopi Answer Series

Stove Type: New Tech/Non-Catalytic

Time

Degrees F)

Total Test Period 168.00 Hours
Stove Operating Time (ie, FlueGas Temperature Over 100 Degrees F)
Stove Operating Time During
Test Period (ie, Flue-Gas Temperature Over 100 54.9%

ESS Settings

ESS Sampling Rate 1.124 L/Minute
Sample Cycle Duration 15.00 Minutes
Sample Time Per Sample Cycle 120 Seconds

Fuel

Total Fuel Used 117.6 KG With Moisture
Average Fuel Moisture 101.2% Percent Dry Basis
Total Fuel Burned 58.5 KG Dry
Average Burn Rate During
Stove Operation 0.6 KG/Hour (dry)

Particulate Emissions

Average Temperatures
Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

collar)

 Emission Factor
 19.4
 G/Kg

 Emission Rate
 12.3
 G/Hour

 Concentration
 553
 Mg/M3

Degrees F 155 Degrees C

Degrees F 24 Degrees C

Breakdown of Particulate Sample

 Rinse
 43.9%

 XAD-2
 16.4%

 Filter
 39.7%


 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 18.13 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P02-a3.123 Printed: 07/26/99 at 03:51:40 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/20/99 02:48:21 PM Test Period End Date/Time: 01/27/99 02:32:52 PM Stove Model Tested: P02: Lopi Answer Series

Stove Type: New Tech/Non-Catalytic

Time

Total Test Period 166.75 Hours

114.75 Hours

68.8%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue

Degrees F 170 Degrees C

Test Facility Ambient Temperature

Degrees F 25 Degrees C

ESS Settings

ESS Sampling Rate 1.124 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Emission Factor 17.5 G/Ka **Emission Rate** 13.3 G/Hour Concentration 814 Mg/M3

Fuel

Total Fuel Used 103.3 KG With Moisture Average Fuel Moisture 18.5% Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During Stove Operation KG/Hour (dry)


Breakdown of Particulate Sample

Rinse XAD-2 27.7% Filter 39.9% Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.50 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P02-b3.123 Printed: 07/26/99 at 03:51:58 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 01/27/99 03:47:00 PM
Test Period End Date/Time: 02/03/99 03:32:51 PM
Stove Model Tested: P02: Lopi Answer Series

Stove Type: New Tech/Non-Catalytic

Time

Degrees F)

Total Test Period 168.00 Hours

Stove Operating Time (ie, FlueGas Temperature Over 100
Degrees F)

Stove Operating Time During
Test Period (ie, Flue-Gas
Temperature Over 100

168.00 Hours
109.5 Hours
65.2%

ESS Settings

ESS Sampling Rate 1.124 L/Minute
Sample Cycle Duration 15.00 Minutes
Sample Time Per Sample 120 Seconds

Fuel

Total Fuel Used 99.9 KG With Moisture
Average Fuel Moisture 26.7% Percent Dry Basis
Total Fuel Burned 78.9 KG Dry
Average Burn Rate During
Stove Operation 0.7 KG/Hour (dry)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue collar)

Test Facility Ambient Temperature

324 Degrees F 162 Degrees C

71 Degrees F 22 Degrees C

Particulate Emissions

 Emission Factor
 14.3
 G/Kg

 Emission Rate
 10.3
 G/Hour

 Concentration
 577
 Mg/M3

Breakdown of Particulate Sample

 Rinse
 47.9%

 XAD-2
 16.9%

 Filter
 35.2%


 Total
 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 17.00 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P02-c3.123 Printed: 07/26/99 at 03:52:17 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/12/99 09:17:01 AM Test Period End Date/Time: 01/19/99 09:48:01 AM

Stove Model Tested: P03: Lopi 380-96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time	Average Temperatures
------	----------------------

Flue-Gas Temperature (at 1 foot above flue **Total Test Period** 168.75 Hours Degrees F 180 Degrees C Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) Hours Test Facility Ambient Temperature Degrees F 26 Degrees C

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings

ESS Sampling Rate 1.069 L/Minute Minutes Sample Cycle Duration 15.00 Sample Time Per Sample 120

20.1%

Seconds

Fuel

Total Fuel Used 32.5 KG With Moisture Average Fuel Moisture Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During KG/Hour (dry) Stove Operation

Particulate Emissions

Emission Factor 5.9 G/Kg **Emission Rate** 4.7 G/Hour Concentration 192 Mg/M3

Breakdown of Particulate Sample


	Total	100%
Filter		-9.0%
XAD-2		21.1%
Rinse		87.8%

Test Notes:

Average Flue-Gas Concentrations

17.65 Percent Oxygen (AWES)

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P03-a3.123 Printed: 07/26/99 at 03:55:16 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/19/99 11:17:10 AM Test Period End Date/Time: 01/26/99 11:48:00 AM

Stove Model Tested: P03: Lopi 380-96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

peratures
ı

Flue-Gas Temperature (at 1 foot above flue Degrees F 188 Degrees C **Total Test Period** 168.75 Hours collar) Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 59.25 Hours Degrees F 24 Degrees C Test Facility Ambient Temperature

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings Particulate Emissions

ESS Sampling Rate 1.069 L/Minute **Emission Factor** G/Kg 7.1 G/Hour 15.00 Minutes **Emission Rate** 7.4 Sample Cycle Duration Sample Time Per Sample Cycle 120 Seconds Concentration 215 Mg/M3

Breakdown of Particulate Sample Fuel


Rinse 74.2% Total Fuel Used 72.8 KG With Moisture XAD-2 13.4% Average Fuel Moisture Percent Dry Basis Total Fuel Burned Filter 12.4% KG Dry Average Burn Rate During Total 100% KG/Hour (dry) Stove Operation

Test Notes:

Average Flue-Gas Concentrations

35.1%

Oxygen (AWES) 17.89 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P03-b3.123 Printed: 07/26/99 at 03:55:38 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 01/26/99 12:32:01 PM Test Period End Date/Time: 02/02/99 12:17:58 PM

Stove Model Tested: P03: Lopi 380-96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Гime	Average Temperatures
------	----------------------

Total Test Period 168.00 Hours

Stove Operating Time (ie, Flue-68.75 Hours Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

40.9%

Flue-Gas Temperature (at 1 foot above flue

Particulate Emissions

Test Facility Ambient Temperature

367

G/Kg

G/Hour

Mg/M3

Degrees F 186 Degrees C

Degrees F 23 Degrees C

ESS Settings

ESS Sampling Rate 1.069 L/Minute 15.00 Minutes Sample Cycle Duration Sample Time Per Sample Cycle 120 Seconds

Emission Factor 5.8 **Emission Rate** 5.8 Concentration 188

Fuel

Total Fuel Used 85.4 KG With Moisture Average Fuel Moisture 23.3% Percent Dry Basis Total Fuel Burned 69.2 KG Dry Average Burn Rate During 1.0 KG/Hour (dry) Stove Operation


Breakdown of Particulate Sample

Rinse 77.8% XAD-2 21.0% 1.2% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 17.76 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P03-c3.123 Printed: 07/26/99 at 03:56:00 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/13/99 11:02:01 AM Test Period End Date/Time: 01/20/99 11:02:58 AM

Stove Model Tested: P04: Lopi Flushbay-96 Catalytic

Stove Type: Catalytic

Time	Average Temperatures
------	----------------------

Flue-Gas Temperature (at 1 foot above flue **Total Test Period** 168.25 Hours Degrees F 141 Degrees C

Test Facility Ambient Temperature

Degrees F 25 Degrees C

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 95.25 Hours

56.6%

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings Particulate Emissions

ESS Sampling Rate 1.145 L/Minute **Emission Factor** 5.4 G/Kg Minutes 15.00 G/Hour Sample Cycle Duration **Emission Rate** 4.0 Sample Time Per Sample 120 Seconds Concentration 206 Mg/M3

Breakdown of Particulate Sample Fuel


Rinse 54.2% Total Fuel Used KG With Moisture XAD-2 19.2% Average Fuel Moisture 18.3% Percent Dry Basis Filter 26.6% Total Fuel Burned 70.7 KG Dry Average Burn Rate During Total 100% KG/Hour (dry) Stove Operation

Test Notes:

Average Flue-Gas Concentrations

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide

Oxygen (AWES) 17.16 Percent



File: P04-a3.123 Printed: 07/26/99 at 03:56:18 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/20/99 01:17:00 PM Test Period End Date/Time: 01/27/99 01:02:58 PM

Stove Model Tested: P04: Lopi Flushbay-96 Catalytic

Stove Type: Catalytic

Time **Average Temperatures**

Flue-Gas Temperature (at 1 foot above flue **Total Test Period** 168.00 Hours Degrees F 164 Degrees C

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

69.6%

117 Hours

ESS Settings

ESS Sampling Rate 1.145 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Test Facility Ambient Temperature

Emission Factor G/Kg **Emission Rate** 4.7 G/Hour 213 Mg/M3 Concentration

Degrees F 24 Degrees C

Fuel

Total Fuel Used 130.0 KG With Moisture Average Fuel Moisture 18.5% Percent Dry Basis Total Fuel Burned 109.7 KG Dry Average Burn Rate During Stove Operation KG/Hour (dry)


Breakdown of Particulate Sample

Rinse XAD-2 17.2% Filter 31.1% Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.70 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P04-b3.123 Printed: 07/26/99 at 03:56:42 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 01/27/99 02:32:00 PM Test Period End Date/Time: 02/03/99 02:17:58 PM

Stove Model Tested: P04: Lopi Flushbay-96 Catalytic

Stove Type: Catalytic

Time **Average Temperatures** Flue-Gas Temperature (at 1 foot above flue

Total Test Period 168.00 Hours

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 116.75 Hours

69.5%

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Particulate Emissions ESS Settings

ESS Sampling Rate 1.145 L/Minute **Emission Factor** G/Kg **15.00** Minutes G/Hour Sample Cycle Duration **Emission Rate** 3.9 Sample Time Per Sample 198 Mg/M3 120 Seconds Concentration Cycle

Fuel

Total Fuel Used 91.1 KG With Moisture Average Fuel Moisture 18.4% Percent Dry Basis Total Fuel Burned 77.0 KG Dry Average Burn Rate During KG/Hour (dry) 0.7 Stove Operation

Breakdown of Particulate Sample

Degrees F 137 Degrees C

Degrees F 24 Degrees C


Rinse 63.1% XAD-2 12.9% 23.9% Filter Total 100%

Test Facility Ambient Temperature

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 17.62 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P04-c3.123 Printed: 07/26/99 at 03:57:01 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/14/99 09:33:02 AM Test Period End Date/Time: 01/21/99 08:32:58 AM Stove Model Tested: P05: Lopi Flex-95 Catalytic

Stove Type: Catalytic

Time	Average Temperatures
------	----------------------

Flue-Gas Temperature (at 1 foot above flue Degrees F 168 Degrees C Total Test Period 167.25 Hours collar) Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 20 Hours Test Facility Ambient Temperature Degrees F 23 Degrees C Stove Operating Time During Test Period (ie, Flue-Gas

ESS Settings

Temperature Over 100 Degrees F)

ESS Sampling Rate	1.038	L/Minute
Sample Cycle Duration	15.00	Minutes
Sample Time Per Sample	120	Seconds

12.0%

Fuel

Total Fuel Used	48.6	KG With Moisture
Average Fuel Moisture	19.3%	Percent Dry Basis
Total Fuel Burned	40.7	KG Dry
Average Burn Rate During Stove Operation	2.0	KG/Hour (dry)

Particulate Emissions

Emission Factor	7.0	G/Kg
Emission Rate	14.3	G/Hou
Concentration	169	Mg/M3


Breakdown of Particulate Sample

	Total	100%
Filter		-55.2%
XAD-2		21.4%
Rinse		133.8%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 18.50 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P05-a3.123 Printed: 07/26/99 at 03:57:22 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/22/99 03:32:02 PM
Test Period End Date/Time: 01/29/99 03:17:54 PM
Stove Model Tested: P05: Lopi Flex-95 Catalytic

Stove Type: Catalytic

Time Avera	ge Temperatures
------------	-----------------

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar)

Stove Operating Time (ie, Flue-Gas Temperature Over 100 as Temperat

Gas Temperature Over 100 33.5 I Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F) 19.9%

ESS Settings

ESS Sampling Rate 1.038 L/Minute Sample Cycle Duration 5ample Time Per Sample 120 Seconds

Fuel

Total Fuel Used	32.7	KG With Moistu
Average Fuel Moisture	19.0%	Percent Dry Bas
Total Fuel Burned	27.5	KG Dry
Average Burn Rate During Stove Operation	0.8	KG/Hour (dry)

Particulate Emissions

Emission Factor	6.4	G/Kg
Emission Rate	5.3	G/Hour
Concentration	180	Mg/M3

Breakdown of Particulate Sample


Total	100%
Filter	-11.4%
XAD-2	7.8%
Rinse	103.6%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 18.12 Percent

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P05-b3.123 Printed: 07/26/99 at 03:57:42 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 01/30/99 11:02:01 AM
Test Period End Date/Time: 02/06/99 10:48:00 AM
Stove Model Tested: P05: Lopi Flex-95 Catalytic

Stove Type: Catalytic

Average	Temperature
۱v	erage

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar) 189 Degrees C Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) Hours Test Facility Ambient Temperature 70 Degrees F 21 Degrees C

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

20.1%

ESS Settings Particulate Emissions

G/Kg **ESS Sampling Rate** 1.038 L/Minute **Emission Factor** 4.4 Minutes Sample Cycle Duration 15.00 **Emission Rate** 4.2 G/Hour Sample Time Per Sample 120 Seconds Concentration 114 Mg/M3

Fuel Breakdown of Particulate Sample


Rinse 60.0% Total Fuel Used KG With Moisture XAD-2 20.0% Average Fuel Moisture Percent Dry Basis Filter 20.0% Total Fuel Burned KG Dry Average Burn Rate During Stove Operation Total 100% KG/Hour (dry)

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 18.32 Percent

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P05-c3.123 Printed: 07/26/99 at 03:58:24 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/23/99 10:47:01 AM
Test Period End Date/Time: 01/30/99 10:32:59 AM

Stove Model Tested: P06: Pacific Energy Super-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

je Temperatures
J

Total Test Period 168.00 Hours Flue-Gas Temperature (at 1 foot above flue collar)

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Hours

Test Facility Ambient Temperature

71 Degrees F

22 Degrees C

Test Facility Ambient Temperature

82.7%

**Test Facility Ambient Temperature

82.7%

**Test Facility Ambient Temperature

83.7%

**Test Facility Ambient Temperature

84.7%

**Test Facility Ambient Temperature

84.7%

**Test Facility Ambient Temperature

85.7%

**Test Facility Ambient Temperature

86.7%

**Test Facility Ambient Temperature

86.7%

**Test Facility Ambient Temperature

86.7%

**Test Facility Ambient Temperature

87.7%

**Test Facility Ambient Temperature

88.7%

ESS Settings

ESS Sampling Rate 1.042 L/Minute **Emission Factor** G/Kg 9.1 Sample Cycle Duration 15.00 Minutes 13.5 G/Hour **Emission Rate** Sample Time Per Sample 120 Seconds Concentration Mg/M3

Fuel

Rinse 39.6% **Total Fuel Used** 412.5 KG With Moisture 11.7% XAD-2 Average Fuel Moisture 100.8% Percent Dry Basis Filter 48.6% Total Fuel Burned 205.4 KG Dry Average Burn Rate During Total 100% 1.5 KG/Hour (dry) Stove Operation

Test Notes:

Average Flue-Gas Concentrations


Oxygen (AWES) 15.52 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Breakdown of Particulate Sample

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

Particulate Emissions



File: P06-a3.123 Printed: 07/26/99 at 03:58:41 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/30/99 04:17:00 PM Test Period End Date/Time: 02/06/99 04:02:57 PM

Stove Model Tested: P06: Pacific Energy Super-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Total Test Period 168.00 Hours

84.5%

Stove Operating Time (ie, Flue-Gas Temperature Over 100 142 Hours Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue Degrees F 240 Degrees C

Test Facility Ambient Temperature Degrees F 21 Degrees C

ESS Settings

ESS Sampling Rate 1.042 L/Minute 15.00 Minutes Sample Cycle Duration Sample Time Per Sample Cycle 120 Seconds

Particulate Emissions

Emission Factor	14.7	G/Kg
Emission Rate	18.9	G/Hou
Concentration	813	Mg/M3

Fuel

Total Fuel Used	373.1	KG With Moisture
Average Fuel Moisture	105.0%	Percent Dry Basis
Total Fuel Burned	182.0	KG Dry
Average Burn Rate During Stove Operation	1.3	KG/Hour (dry)


Breakdown of Particulate Sample

33.5%
36.9%
29.5%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.55 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P06-b3.123 Printed: 07/26/99 at 03:59:00 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 02/07/99 12:47:00 PM Test Period End Date/Time: 02/14/99 11:17:58 AM

Stove Model Tested: P06: Pacific Energy Super-27 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time		Average Temperatures
Total Tast Bariad	166.75 Hours	Flue-Gas Temperature (at 1 foot above flue

Total Test Period 166.75 Hours

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F)

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

152.75 Hours

91.6%

ESS Settings Particulate Emissions

ESS Sampling Rate 1.042 L/Minute **Emission Factor** G/Kg Sample Cycle Duration 15.00 Minutes **Emission Rate** G/Hour 10.0 Sample Time Per Sample 120 Seconds Concentration Mg/M3 616

Breakdown of Particulate Sample Fuel

Rinse 39.9% Total Fuel Used 351.7 KG With Moisture XAD-2 13.9% Average Fuel Moisture 101.2% Percent Dry Basis Filter 46.2% Total Fuel Burned 174.9 KG Dry Average Burn Rate During Total 100% KG/Hour (dry) Stove Operation

Test Notes:

Average Flue-Gas Concentrations

14.07 Percent Oxygen (AWES)


Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Degrees F 252 Degrees C

Degrees F 22 Degrees C

Test Note Number 2: STP for this test is: 1.00 Atmosphere and 68 Degrees F (20 Degrees C)

Test Facility Ambient Temperature



File: P06-c3.123 Printed: 07/26/99 at 03:59:17 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/20/99 09:17:00 AM Test Period End Date/Time: 01/27/99 09:02:58 AM

Stove Model Tested: P07: Lopi 520/96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Time **Average Temperatures**

168.00 Hours **Total Test Period**

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 168 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

100.0%

Flue-Gas Temperature (at 1 foot above flue

Test Facility Ambient Temperature

Degrees F 176 Degrees C

Degrees F 21 Degrees C

ESS Settings

ESS Sampling Rate 1.109 L/Minute 15.00 Minutes Sample Cycle Duration Sample Time Per Sample 120 Seconds

Particulate Emissions

Emission Factor 18.4 G/Kg **Emission Rate** 26.6 G/Hour Concentration 1097 Mg/M3

Fuel

Breakdown of Particulate Sample


Rinse 20.4% Total Fuel Used 487.2 KG With Moisture XAD-2 20.0% Average Fuel Moisture 101.2% Percent Dry Basis Filter 59.6% Total Fuel Burned 242.2 KG Dry Average Burn Rate During Stove Operation Total 100% KG/Hour (dry)

Test Notes:

Average Flue-Gas Concentrations

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide

Oxygen (AWES) 15.14 Percent



File: P07-a3.123 Printed: 07/26/99 at 04:00:03 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/27/99 11:32:01 AM Test Period End Date/Time: 02/03/99 11:17:59 AM

Stove Model Tested: P07: Lopi 520/96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Average Temperatures

Total Test Period 168.00 Hours Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 168 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F) 100.0%

ESS Settings

1.109 L/Minute ESS Sampling Rate Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Fuel

Total Fuel Used 517.4 KG With Moisture Average Fuel Moisture 105.0% Percent Dry Basis Total Fuel Burned 252.4 KG Dry Average Burn Rate During 1.5 KG/Hour (dry) Stove Operation

S

Flue-Gas Temperature (at 1 foot above flue 327 Degrees F 164 Degrees C

Degrees F 21 Degrees C

Test Facility Ambient Temperature

Particulate Emissions

Emission Factor 18.5 G/Kg **Emission Rate** 27.7 G/Hour Concentration 1099 Mg/M3


Breakdown of Particulate Sample

Rinse 24.9% XAD-2 19.1% 56.0% Filter Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 15.14 Percent Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P07-b3.123 Printed: 07/26/99 at 04:00:21 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week C

Test Period Start Date/Time: 02/03/99 12:32:01 PM
Test Period End Date/Time: 02/10/99 12:17:57 PM

Stove Model Tested: P07: Lopi 520/96 Non-Catalytic

Stove Type: New Tech/Non-Catalytic

Average Temperatures 168.00 Hours Flue-Gas Temperature (at 1 foot above flue

Total Test Period 168.00 Hours

Stove Operating Time (ie, FlueGas Temperature Over 100 Degrees F)

Hours

168 Hours

Stove Operating Time During
Test Period (ie, Flue-Gas
Temperature Over 100

100.0%

Degrees F)

ESS Settings

ESS Sampling Rate	1.109	L/Minute
Sample Cycle Duration	15.00	Minutes
Sample Time Per Sample	120	Seconds

Fuel

Total Fuel Used	406.1	KG With Moisture
Average Fuel Moisture	24.8%	Percent Dry Basis
Total Fuel Burned	325.4	KG Dry
Average Burn Rate During Stove Operation	1.9	KG/Hour (dry)

Particulate Emissions

Test Facility Ambient Temperature

Emission Factor	20.8	G/Kg
Emission Rate	40.3	G/Hour
Concentration	1416	Mg/M3

Degrees F 172 Degrees C

Degrees F 22 Degrees C

Breakdown of Particulate Sample


	Total	100%
Filter		58.7%
XAD-2		17.4%
Rinse		23.8%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 14.13 Percent

Test Note Number 1: Stoichiometric Volume is Based on 11.5% of Fuel Carbon Generating Carbon Monoxide and 88.5% of Fuel Carbon Generating Cabon Dioxide



File: P07-c3.123 Printed: 07/26/99 at 04:00:44 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week A

Test Period Start Date/Time: 01/22/99 10:47:02 AM Test Period End Date/Time: 01/29/99 11:02:56 AM

Stove Model Tested: P08: Vermont Castings Defiant Encore Catalytic

Stove Type: Catalytic

Total Test Period 133.25 Hours

98.3%

211.8 KG With Moisture

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 131 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100 Degrees F)

ESS Settings

ESS Sampling Rate 1.078 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample Seconds

Fuel

Total Fuel Used

Average Fuel Moisture Percent Dry Basis Total Fuel Burned 169.8 KG Drv Average Burn Rate During KG/Hour (dry) Stove Operation

Average Temperatures

Flue-Gas Temperature (at 1 foot above flue Degrees F 173 Degrees C collar)

Degrees F 22 Degrees C

Test Facility Ambient Temperature

Particulate Emissions

G/Kg **Emission Factor** 17.7 **Emission Rate** 23.0 G/Hour Mg/M3 Concentration 714


Breakdown of Particulate Sample

Rinse 46.0% XAD-2 22.7% Filter 31.4% Total 100%

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.93 Percent Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P08-a3.123 Printed: 07/26/99 at 04:01:00 PM

Project Name: ERG/EPA

Residence Location: Portland, Oregon USA

Test Run Number: Week B

Test Period Start Date/Time: 01/29/99 01:17:01 PM Test Period End Date/Time: 02/05/99 02:14:37 PM

Stove Model Tested: P08: Vermont Castings Defiant Encore Catalytic

Stove Type: Catalytic

Time **Average Temperatures**

Flue-Gas Temperature (at 1 foot above flue 97.75 Hours Degrees F 195 Degrees C **Total Test Period**

Stove Operating Time (ie, Flue-Gas Temperature Over 100 Degrees F) 37.5 Hours

Stove Operating Time During Test Period (ie, Flue-Gas Temperature Over 100

Degrees F)

38.4%

ESS Settings

ESS Sampling Rate 1.078 L/Minute Sample Cycle Duration 15.00 Minutes Sample Time Per Sample 120 Seconds

Particulate Emissions

Test Facility Ambient Temperature

Emission Factor G/Kg **Emission Rate** 25.2 G/Hour Concentration 657 Mg/M3

Fuel

Total Fuel Used 76.2 KG With Moisture

Average Fuel Moisture Percent Dry Basis Total Fuel Burned KG Dry Average Burn Rate During Stove Operation KG/Hour (dry)

Breakdown of Particulate Sample Rinse XAD-2

Filter

49.5% 16.0% 34.6%

Total

100%


Degrees F 23 Degrees C

Test Notes:

Average Flue-Gas Concentrations

Oxygen (AWES) 16.72 Percent

Test Note Number 1: Stoichiometric Volume For This Test is Based on 2.0% of Fuel Carbon Generating Carbon Monoxide and 98.0% of Fuel Carbon Generating Carbon Dioxide



File: P08-b3.123 Printed: 07/26/99 at 04:01:18 PM